



Shelley Medical Imaging Technologies offers Blood Mimicking Fluids that are suitable for evaluating the performance of diagnostic medical imaging scanners. Our blood mimicking fluids provide the complex properties of blood without the problems associated with handling real blood.

Doppler Ultrasound (BMF-US)

Shelley offers a blood mimicking fluid that is suitable for the evaluation of Doppler ultrasound techniques.

Ideal for Doppler flow measurements.

Ultrasound Properties

Speed of sound:	$1548 \pm 5 \text{ ms}^{-1}$
Density of fluid:	$1037 \pm 2 \text{ kg m}^{-3}$
Scattering particle diameter:	$5 \mu\text{m}$
Scattering particle density:	1.03 g cm^{-3}
Particle concentration:	1.82%
Acoustic attenuation:	$0.05 \pm 0.01 \text{ (dB cm}^{-1} \text{ MHz)}$
Backscatter:	Orgasol (nylon)
Viscosity:	$4.1 \pm 0.1 \text{ (mPa s)}$

MRI (BMF-MR)

Shelley offers a blood mimicking fluid that is suitable for the evaluation of magnetic resonance imaging techniques.

Ideal for angiographic techniques and quantitative flow measurements.

MRI Properties

T1:	850 ms @ 1.5 Tesla
T2:	170 ms @ 1.5 Tesla

Blood Mimicking Fluids for both Doppler ultrasound and magnetic resonance imaging applications are available in 3 litre containers.



SHELLEY MEDICAL IMAGING TECHNOLOGIES

Sales Office

157 Ashley Crescent, London, Ontario, CA, N6E 3P9

Phone: 1 (519) 690-0874 Fax: 1 (519) 690-0875

Email: bob.gravett@simutec.com Web: www.simutec.com

Service Centre

41 Coldwater Road, North York, Ontario, CA, M3B 1Y8

Phone: 1 (416) 447-6471 Fax: 1 (416) 447-9313

Email: service@simutec.com



A DIVISION OF R.G. SHELLEY LTD